

## Wijo Roof Drainage

### Holder/Issued to

### Wijo AB

Wijo AB, Box 26, SE-893 21 Bjästa, Sweden

### Product description

Roof drainage system made of galvanized (Z275) pre painted steel sheet or aluzinc (AZ185) coated steel sheet. Gutters are made of 0,6 mm and down pipes of 0,6 - 0,7 mm hot dip galvanized steel sheet or aluzinc coated steel sheet. The gutter hooks are made of 1,25 mm hot dip galvanized steel sheet or aluzinc coated steel sheet. The hot dip galvanized steel sheet is protected by an approx. 70 µm, (35 µm both sides), thick layer of polyester-based coating, HBP.

### Intended use

Collecting and drainage of rainwater and melted snow from roofs.

### Trade name

Wijo Roof Drainage

### Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Installations for surface water drainage  
Design

6:642, 1st paragraph

6:644, 1st sentence and 2nd paragraph

### Associated documents

Wijo Monteringsanvisning, dated 2013-09-10.

### Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. 1146096 dated 2022-11-07, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

### Manufacturing place


Production control includes the following place:

Wijo AB, Ariavägen 2, SE-893 31 Bjästa, Sweden



## Marking

The products are to be marked at the factory. The marking consists of a label on every product supplied and includes:

Holder	Wijo AB
Product type designation	<i>type designation</i>
Consecutive manufacturing number/date of production	<i>no./ yy.mm</i>
Type approval number	0061/02
Colour or coating	Colour or Aluzinc
Boverket's registered trademark	
RISE Accreditation number	1002
Certification body and Inspection body	RISE

## Basis for approval

Report PX25225A, P700186 and P700186A from SP Sveriges Tekniska Forskningsinstitut.  
Report AO0006591 and 169422-1 from RISE.

## Comments

The product or parts of them have been designed in compliance with SS-EN 612 and SS-EN 1462.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2018-01-23, valid through 2023-01-22.

## Validity

Valid through 2028-01-22.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read 'Martin Tillander', with a long horizontal stroke extending to the right.

Martin Tillander

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.*