

SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Touch up paint

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. **Product identifier** Product name

: Touch up paint

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Function or use category Uses advised against

: Professional use : Paint

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Sunchem AB Box 69 S-433 21 Partille Sweden T +46 31 447310 -F +46 31 449581 E-mail: purchasing@sunco.se



Contact person : Dick Sundström

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H
SECTION 2: HAZARDS IDENTIFICATION			

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime. May produce an allergic reaction.

2.3. Other hazards

: None under normal conditions. classification Other hazards not contributing to the This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substances** Not applicable



3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01- 2119475104-44	< 10	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES	
4.1. Description of first aid measures	6
First-aid measures general	: Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation : G	eneral first aid, rest, warmth and fresh air.
First-aid measures after skin contact : V	Vash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: Rinse nose, mouth and throat with water. Contact physician if larger quantity has been consumed. Do not give victim anything to drink if he is unconscious.
4.2.Most important symptoms and ef	
Symptoms/effects	: No specific symptoms noted.
Symptoms/effects after eye contact	: Liquid splashes in the eye may cause
Our sector and left a standition in a section	irritation.
Symptoms/effects after ingestion 4.3. Indication of any imme	: May cause discomfort if swallowed. diate medical attention and special treatment needed No specific first
aid measures noted.	ulate medical attention and special treatment needed no specific first
SECTION 5: FIREFIGHTING MEASUR	
5.1. Extinguishing media	25
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. dry chemical powder, alcoholresistant foam, carbon dioxide (CO2), water spray, sand, earth.
5.2. Special hazards arising from the	substance or mixture
	: Non flammable.
(CO2). Carbon monoxide (CO). fire	
5.3. Advice for firefighters	
Protection during firefighting	: Wear self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products.
SECTION 6: ACCIDENTAL RELEASE	MEASURES
6.1.Personal precautions, protective	equipment
and emergency procedures	No special precautions required.
General measures	



For non-emergency personnel

Protective equipment

For emergency responders Protective equipment

6.2. Environmental precautions

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

Prevent discharge of larger quantity to drain.

6.3.Methods and material for containment and cleanup

For containment

Other information

Methods for cleaning up

: Wear appropriate personal protective equipment - see Section 8.

- : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- : Dispose of at a licensed waste collection centre.
- : Mechanically recover the product. Take up liquid spill into absorbent material. Post clean with water.
- : Dispose of materials or solid residues at an authorized site.

7.1. Precautions for safe handling Hygiene measures : Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : No special storage requirements. Protect against frost. 7.3. Specific end use(s) No additional data. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION** 8.1. Control parameters 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5) 2-(2-Butoxyethoxy)ethanol United Kingdom Local name WEL TWA (mg/m³) 67.5 mg/m³ United Kingdom WEL TWA (ppm) United Kingdom 10 ppm United Kingdom WEL STEL (mg/m³) 101.2 mg/m³ United Kingdom WEL STEL (ppm) 15 ppm 8.2. Exposure controls Appropriate engineering : Ensure good ventilation of the work station. controls Hand protection : For prolonged or repeated skin contact use suitable protective gloves. Natural rubber. Plastic. Breakthrough time : 6 (> 480 minutes). Layer thickness : 0,2 - 0,4 mm. STANDARD EN 374. Eve protection : Not required Skin and body protection : Not required Respiratory protection : Not required Other information : Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
9.1.Information on basic physical and chemical properties				
Physical state	Liquid			
Colour	According to product specification.			
Odour	Characteristic.			
Odour threshold	No data available			
pH Relative evaporation rate	7			
(butylacetate=1)	No data available			
Melting point	No data available			
Freezing point	No data available			
Boiling point	100 °C			
Flash point	No data available			
Critical temperature	225 °C (DIN 51794)			
Auto-ignition temperature				
Decomposition temperature	No data available No data available			
Flammability (solid, gas)	No data available			
Vapour pressure	23 hPa @20°C			
	23 NPa @20 C			
Polotive veneur density at 20 °C	No data available			
Relative vapour density at 20 °C Relative density	No data available			
Relative defisity				
Density	1.091 g/cm ³ @ 20 °C (DIN 53217) Miscible with water.			
Solubility				
Log Pow	No data available			
Viscosity, kinematic	60 s (DIN 53211/4) No data available			
Viscosity, dynamic				
Explosive properties	Product is not explosive.			
Oxidising properties	Non flammable.			
Explosive limits	No data available			
9.2. Other information				
VOC content	0.05.0/			
	6.95 %			

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No incompatible groups noted.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Stable under recommended handling and storage conditions (see section 7). Protect against frost.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	

Acute toxicity

: Not classified

Based on available data, the classification criteria are not met

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)			
LC50 fish 1	1300 mg/l (96 hours - Lepomis macrochirus)		
EC50 Daphnia 1	> 100 mg/l (48 hours - Daphnia magna)		
IC50 algae	53 mg/l (Anacystis aeruginosa)		
2-(2-butoxyethoxy)ethanol, diethyle	ene glycol monobutyl ether (112-34-5)		
LD50 oral rat	5660 mg/kg		
LD50 dermal rabbit	2700 mg/kg		
2-butanone oxime; ethyl methyl ket	oxime; ethyl methyl ketone oxime (96-29-7)		
LD50 oral rat	1 mg/kg		
LD50 oral	930 mg/kg		
LD50 dermal rabbit	2702 mg/kg		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	Based on available data, the classification criteria are not met pH: 7 : Not classified Based on available data, the classification		
Respiratory or skin sensitisation	criteria are not met pH: 7 : Not classified Based on available data, the classification criteria are not met		
Germ cell mutagenicity	 Not classified Based on available data, the classification criteria are not met 		
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met		
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met		
STOT-single exposure	: Not classified Based on available data, the classification criteria are not met		
STOT-repeated exposure	: Not classified Based on available data, the classification criteria are not met		
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met		

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - general

: Not regarded as dangerous to the environment. This does not, however, rule out the

possibility that large or frequent smaller emissions of the product may be harmful to the environment.

		de narmful to the environment.		
	2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime (96-29-7)			
	LC50 fish 1	760 mg/l 96h (Poecilia reticulata)		
	EC50 Daphnia 1	> 500 48h (Daphnia magna)		
	2.2. Persistence and degradability			
	Abratex Touch up paint Metallic			
	Persistence and degradability	The product is potentially degradable.		
	2-(2-butoxyethoxy)ethanol, diethylen	e glycol monobutyl ether (112-34-5)		
	Chemical oxygen demand (COD)	< 0.05 BOD5/COD		
	Biodegradation	89 % (OECD 301C method)		
	2-butanone oxime; ethyl methyl keto	xime; ethyl methyl ketone oxime (96-29-7)		
	BOD (% of ThOD)	24.7 % ThOD BOD, MITI-test		
	Biodegradation	70 % 14 days, OECD 302B		
	3. Bioaccumulative potential			
	Abratex Touch up paint Metallic			
	Bioaccumulative potential	No data.		
	2-(2-butoxyethoxy)ethanol, diethylen	e glycol monobutyl ether (112-34-5)		
	Bioconcentration factor (BCF REACH)	2.9		
	Log Pow	0.68		
	2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime (96-29-7)			
	BCF fish 1	5.8		
	Log Kow	0.63		
12	.4. Mobility in soil			
	Abratex Touch up paint Metallic			
	Ecology - soil	Miscible with water.		
	.5.Results of PBT and vPvB assessm	ient		
	Abratex Touch up paint Metallic			
┝		the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII 12.6. Other adverse effects				
	Other adverse effects : None to our knowledge.			
SECTION 13: DISPOSAL CONSIDERATIONS				
13.1. Waste treatment methods				
	Regional legislation (waste) : Product is not hazardous waste.			
W	Waste treatment methods : Follow the instructions for destruction of used packing.			
	oduct/Packaging disposal recommenda gulations.	tions: Dispose in a safe manner in accordance with local/national		
Д	dditional information	: The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.		
European List of Waste (LoW) code: 08 01 12 - waste paint and varnish other than those mentioned in 08 01 11				

SECTION 14: TRANSPORT INFORMATION				
In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for trai	nsport			
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
ADR	IMDG	ΙΑΤΑ	ADN	RID
No supplementary information available				

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code

: No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content

: 6.95 %

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.



15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INI	FORMATION
Data sources	: EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC
	(CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG,
	IATA/ICAO). Workplace exposure limits.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H319	Causes serious eye irritation.	
EUH208	Contains 2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime. May produce an allergic reaction.	

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.